

# Grade 3 Culp Contract



## **ARCHETYPE**



## **DORSET**



### **Archetype**

Content: 79% Polyester, 21% Rayon

Backing: 100% Polyester

Finish: i-clean<sup>™</sup> - a high performance stain and moisture repellent, based on Nano

technology.

Weight: 9.0 oz. per linear yard

Width: 54"

Abrasion: Heavy Duty - Exceeds 75,000 Cycles

(Wyzenbeek - Cotton Duck Abradant) (ASTM D4157)

Light Fastness: Class 4/40 hrs. Min (AATCC16A)

Color Fastness Class 3 (ASTM D3597,AATCC8) Wet

Class 4 (ASTM D3597,AATCC8) Dry

Physical Properties: Class 4 (ASTM D35II) Brush Pill

152 lbs. Warp, 116 lbs. Weft (ASTM D5034) Breaking Strength

52 lbs. Warp, 55lbs. Weft (ASTM D4034) Seam Slippage

Passes: California Tech. Bulletin #117 - 2013

**UFAC Class I** 

NFPA 260 CLASS I

Cleanability: W - Water based cleaners may be used.

This fabric is made in China



For samples or further information, please contact:

Culp Inc.

Contract Fabrics 1823 Eastchester Drive High Point, NC 27265

Phone: (336) 889-5161 • Fax: (336) 899-7848

www.culpcontract.com

#### **Dorset**

Content: 100% Polyester Backing: 100% Polyester Finish: i-clean Weight: 17.3 oz. per linear yard Width: 54" Abrasion: Heavy Duty - Exceeds 55,000 Cycles (Wyzenbeek - #10 Cotton Duck Abradant) (ASTM D4157) **Light Fastness:** Class 4/40 hrs. min (AATCC16A) **Color Fastness** Class 3 (ASTM D3597, AATCC8) Wet Class 4 (ASTM D3597,AATCC8) Dry **Physical Properties:** Class 4 (ASTM D35II) Brush Pill 266 lbs. Warp, 130 lbs. Weft (ASTM D5034) Breaking Strength 41 lbs. Warp, 38lbs. Weft (ASTM D4034) Seam Slippage Passes: California Tech. Bulletin #117 - 2013 **UFAC Class I** NFPA 260 CLASS I Cleanability: W - Water based cleaners may be used.



For samples or further information, please contact:

This fabric is made in China

Culp Inc.
Contract Fabrics
1823 Eastchester Drive
High Point, NC 27265

Phone: (336) 889-5161 • Fax: (336) 899-7848

www.culpcontract.com